

edited by
Seung-Woo Lee
Toyoki Kunitake

Handbook of Molecular Imprinting

Advanced Sensor Applications

Handbook of

Molecular Imprinting



edited by
Seung-Woo Lee
Toyoki Kunitake

Handbook of Molecular Imprinting

Advanced Sensor Applications

PAN STANFORD PUBLISHING

Published by

Pan Stanford Publishing Pte. Ltd.
Penthouse Level, Suntec Tower 3
8 Temasek Boulevard
Singapore 038988

Email: editorial@panstanford.com
Web: www.panstanford.com

British Library Cataloguing-in-Publication Data
A catalogue record for this book is available from the British Library.

Handbook of Molecular Imprinting: Advanced Sensor Applications

ISBN 978-981-4316-65-1 (Hardcover)
ISBN 978-981-4364-32-4 (eBook)

Printed in the USA

Contents

Part 1 Fundamentals of Molecular Imprinting and Sensor Applications 1

1. Fundamentals and Perspectives of Molecular Imprinting in Sensor Applications 3

Seung-Woo Lee, Sergiy Korposh, Roman Selyanchyn, and Toyoki Kunitake

1.1 Introduction 3
1.2 Molecular Imprinting in Organic Matrices 4
1.2.1 Covalent Approach 6
1.2.2 Non-Covalent Approach 7
1.2.3 Other Approaches for Organic MIP Fabrication 9
1.3 Molecular Imprinting in Inorganic Matrices 11
1.3.1 Sol-Gel Approach 12
1.3.2 Liquid Phase Deposition (LPD) Approach 15
1.4 Major Transducers 16
1.4.1 Mass-Sensitive Transducer 17
1.4.2 Electrochemical Transducer 19
1.4.3 Optical Transducer 21
1.5 Applications of Organic MIP Materials in Sensors 26
1.6 Applications of Inorganic MIP Materials in Sensors 31
1.6.1 Silica Based Imprinted Materials 31
1.6.2 Hybrid Imprinted Materials 38
1.6.3 LPD Based Imprinted Materials 40
1.6.4 Strategy for Improved Selectivity 43
1.7 Conclusions 45

2. Molecularly Imprinted Optical Sensing Receptor 65

Sing Muk Ng and Ramaier Narayanaswamy

2.1 Introduction 65
2.2 Chronological Protocols and Procedures 67

2.2.1 Selection of Materials and Ingredients 67
2.2.2 Polymerization Options 72
2.2.2.1 Free-radical initiated polymerization 72
2.2.2.2 Condensation polymerization 73
2.2.2.3 Electropolymerization 74
2.2.3 Configurations of Matrix 75
2.2.3.1 Bulk 75
2.2.3.2 Monoliths 76
2.2.3.3 Membranes 77
2.2.4 Handling and Preparation 78
2.3 Rational Design of Receptors 79
2.3.1 Interaction Study of Pre-Polymerization Ingredients 79
2.3.2 Computational Modeling 81
2.3.3 Thermodynamic Considerations 83
2.3.4 Repeatability and Reproducibility 86
2.3.5 Commercialization 87
2.4 Optical Sensing Schemes and Transduction Systems 89
2.4.1 Direct Monitoring of Analyte 89
2.4.2 Direct Fluorescence 90
2.4.3 Displacement Assay 92
2.4.4 Reflectance and Absorbance 94
2.4.5 Phosphorescence 96
2.4.6 Chemiluminescence 97
2.4.7 Surface Plasmon Resonance 98
2.4.8 Fluorescence Lifetime Decay 100
2.5 Advanced Probe Designs and Sensing Configuration 102
2.5.1 Sensor Arrays 102
2.5.2 Optical MIP Chips 104
2.5.3 Micro- and Nano-sized Sensors 106
2.6 Binding Aspects and Analytical Signals 108
2.6.1 Binding Isotherms and Affinity Distributions 108
2.6.2 Batch Binding Analysis and Binding Models 109

2.6.3 Correlation of Analytical Signal with Binding Isotherms Models 110
2.6.4 Advantage and Limitation 111
2.7 Summary 112

3. Translational Applications of Molecularly Imprinted Polymer-Based Electrochemical Sensors 119
Hung-Yin Lin, James L. Thomas, and Mei-Hwa Lee
3.1 Introduction 119
3.2 Principle of Molecularly Imprinted Polymers 121
3.2.1 Synthesis of MIPs 121
3.2.2 Characterization of MIPs 123
3.2.3 Morphology of MIPs 124
3.3 Transducers Employed with Molecularly Imprinted Polymers as Sensing Elements 126
3.3.1 Types of Transducers 126
3.3.2 Interface of Transducer and Molecularly Imprinted Polymers 130
3.3.3 Miniature MIPs-Based Sensors 130
3.3.4 Demonstration of MIPs-Based Electrochemical Sensors 134
3.4 Molecularly Imprinted Polymers-Based Sensors for the Real World 135
3.4.1 Source of Real Samples 135
3.4.2 Biomarkers 138
3.4.3 Cross-Talk Interference 138
3.5 Prospective 139

4. Optical Sensors for MonitoringTrace Inorganic Toxins 147
T. Prasada Rao, Dhanya James, and Milja T. Elias
4.1 Environmental Trace Analysis 148
4.2 Inorganic Toxins 148
4.3 Importance of Sampling in Trace Analysis 152
4.3.1 Sample Handling 152
4.3.2 Sample Pre-Treatment, Homogenization and Sub-Sampling 152
4.3.3 Sample Preparation 152

4.3.3.1 Decomposition of inorganic or organic matrices 153
4.3.3.2 Separation and pre-concentration steps 153
4.4 Trace/Ultra Trace Analytical Techniques 154
4.4.1 Selection of Analytical Technique/Method 157
4.4.2 Essential Features of Analytical Techniques 158
4.4.2.1 Signal processing, data handling and reporting 158
4.4.2.2 Signal integrity 158
4.4.2.3 Data handling 158
4.4.2.4 Good Automated Laboratory Practice (GALP) [1] 159
4.4.2.5 Reporting of results 159
4.5 Chemical Speciation 160
4.6 Sensors 161
4.6.1 Fundamentals of Optical Sensors (Optodes) 163
4.6.2 Optical Sensing of Ionic Analytes 163
4.6.3 Optical Sensing of Neutral Analytes 165
4.7 Molecularly Imprinted Polymers 166
4.7.1 Molecular Imprinting Technology 167
4.7.2 MIPs in Optical Sensing 168
4.8 Optical Sensors vis-a-vis Other Sensor Techniques 174
4.9 Future Outlook 174

5. MIP Thermistor 181

Rajagopal Rajkumar, Umporn Athikomrattanakul, Kristian Lettau, Martin Katterle, Bengt Danielsson, Axel Warsinke, Nenad Gajovic-Eichelmann, and Frieder W. Scheller

5.1 Introduction 181
5.1.1 The MIP Concept 181
5.1.2 MIP Sensors 183
5.1.3 Enzyme Thermistors 184
5.2 Covalently Imprinted Polymers Using Boronic Acid Derivates 188
5.2.1 Synthesis of Template (Fructosyl Valine) 189

5.2.2 Synthesis of Functional Monomer (Vinyl Phenyl Boroxine) 189
5.2.3 Synthesis of N-[β-D-Fructopyranosyl-(1)]-L-Valine2,3; 4,5-bis-O- ((4-Vinylphenyl) Boronate) 190
5.2.4 Synthesis of MIP and Control Polymers 190
5.2.5 MIP Thermistor Set-Up and Measurements 190
5.2.6 Thermometric MIP Sensor for Fructose 191
5.2.7 Thermometric MIP Sensor for Fructosyl Valine 193
5.2.8 Concentration Dependence of Fru-Val Binding 194
5.2.9 Closed Loop Studies 196
5.3 Non-Covalent MIPs Containing Two Functional Monomers for Carboxyphenyl Aminohydantoin (CPAH) as Analogon of Nitrofurantoin (NFT) 197
5.3.1 Synthesis of an Analogue Template, Carboxyphenyl Aminohydantoin (CPAH) 197
5.3.2 Synthesis of Functional Monomers 198
5.3.3 Preparation of MIPs Based on Two Functional Monomers 199
5.3.4 MIP-Based Thermometric Study 200
5.4 Bi-Functional Esterolytically Active MIP 203
5.4.1 Polymer Preparation 204
5.4.2 Thermometric Characterization of Adsorption and Catalysis 205
5.5 Conclusions 209

Part 2 Potential Materials for Molecular Imprinting 217

6. The Use of a Thermally Reversible Bond for Molecular Imprinting 219
Ji Young Chang
6.1 Introduction 219
6.2 Cross-Linked Vinyl Polymer Matrix 221
6.3 Silica Matrix 226
6.4 Polyimide as Noncross-Linked Matrix 228
6.5 Summary and Outlook 232

7. Molecular-Sieving Silica/Tin Oxide Sensor Prepared by Chemical Vapor Deposition in the Presence of Template Molecule 235

Naonobu Katada and Miki Niwa

7.1 Introduction 235
7.2 Preparation Method 238
7.3 Selective Chemisorption 241
7.4 Sensing Function 244
7.4.1 Selectivity for Various Molecules 244
7.4.2 Improved Response and Selectivity of Film-Type Sensor 249
7.4.3 Detection of Dialkyl Phthalate 252
7.5 Conclusion 254

8. Environmental Approaches by Molecular Imprinting on Titanium Dioxide 259

Milka Nussbaum and Yaron Paz

8.1 Introduction 260
8.2 Preparation 269
8.2.1 Preparation of Molecularly Imprinted (MI) Structures 269
8.2.1.1 Sol-gel method using alkoxide chemistry 271
8.2.1.2 "Layer-by-layer" approach using sol-gel method 272
8.2.1.3 Liquid phase deposition/chemical bath deposition 274
8.2.1.4 Titanyl sulfate chemistry 275
8.2.1.5 Titanium tetrachloride chloride chemistry 276
8.2.1.6 Potassium titanyl oxalate chemistry 276
8.2.2 Preparation of Molecularly Imprinted Polymer (MIP) Structures 276
8.2.3 Preparation of Molecularly Imprinted Inorganic (MII) Structures 277
8.2.4 Preparation of Molecularly Imprinted Host (MIH) Structures 278
8.3 Characterization 279

8.3.1 Interaction Between Host and Template 279
8.3.2 Assessment of Removal of Template Molecules 281
8.3.3 Concentration and Structure of Sites 282
8.3.4 Surface Area 282
8.3.5 Film Morphology and Particles' Size 283
8.3.6 Film Thickness 283
8.3.7 Crystalline Phase 284
8.4 Applications 284
8.4.1 Sensing 284
8.4.1.1 Quartz crystal microbalance (QCM) sensors 285
8.4.1.2 Electrochemical sensors 286
8.4.1.3 Ion sensitive field effect transistors 288
8.4.1.4 Matrix-assisted laser desorption/ionization (MALDI)mass-spectrometry 290
8.4.1.5 Evaluation of performance of sensors 290
8.4.1.5.1 Sensitivity 291
8.4.1.5.2 Imprinting efficiency ratio 291
8.4.1.5.3 Selectivity 293
8.4.1.5.4 Response time 303
8.4.1.5.5 Repeatability 304
8.4.1.5.6 Stability and reproducibility 304
8.4.2 Photocatalysis 305
8.4.2.1 Introduction 305
8.4.2.2 Performance 307
8.4.2.2.1 Efficiency 308
8.4.2.2.2 Selectivity 310
8.4.2.2.3 Adsorption vs. photocatalytic degradation 313
8.4.2.2.4 Imprinting of pseudo-target molecules 316
8.4.2.2.5 Intermediates and by-products 318

8.4.2.2.6 Stability and repeatability 319
8.4.3 Separation by Selective Filtration 320
8.5 Conclusion 321

Part 3 MIP Sensors for Environmental and Trace Detection 331

9. Molecularly Imprinted Nanocomposites for Highly Sensitive SPR Detection 333
Jun Matsui and Kensuke Akamatsu
9.1 Introduction 333
9.2 Surface Plasmon Resonance of Metal Nanoparticles 335
9.2.1 Biosensors Utilizing Gold Nanoparticles 337
9.2.2 Synthesis of Surface-Functionalized Gold Nanoparticles 339
9.3 Molecularly Imprinted Nanocomposite 340
9.3.1 Concept 340
9.3.2 Colorimetric Sensing with Molecularly Imprinted Nanocomposite 340
9.3.2.1 Physical properties 342
9.3.2.2 Selectivity 343
9.3.3 SPR Sensor with Molecularly Imprinted Nanocomposite Gel 344
9.3.3.1 Preparation of sensor chip 345
9.3.3.2 SPR measurement 346
9.3.4 SPR Sensing of Atrazine 348
9.3.4.1 Preparation of sensor chip 348
9.3.4.2 Effects of gold nanoparticles on sensitivity 349
9.3.4.3 Effects of molecular imprinting on sensitivity 350
9.3.4.4 Selectivity 352
9.4 Conclusion 353

10. Molecularly Imprinted Room Temperature Phosphorescent Optosensors for Environmental Pollutants 359
He-Fang Wang and Xiu-Ping Yan
10.1 Introduction 359

10.2 Fabrication of MIPs-Based RTP Optosensors 361
10.2.1 Conventional MIPs with RTP Detection 361
10.2.2 Incorporation of Heavy Atoms into MIPs 364
10.2.3 Surface Imprinting on Phosphorescent Nanoparticles 368
10.3 RTP Detection Modes 374
10.3.1 Static Measurement 374
10.3.2 Flow-Through Assays 377
10.4 Applications 379
10.4.1 RTP Sensing of Nafcillin 379
10.4.2 RTP Sensing of PAHs 381
10.4.3 Sensing of Copper Ions 382
10.4.4 Sensing of Pentachlorophenol 383
10.5 Conclusions 384

11. Electrochemical Sensing of Nitroaromatic Compounds in Natural Waters and Soil Samples 389
Taher Alizadeh
11.1 Introduction 389
11.2 Nitroaromatic Compounds 390
11.3 Different Strategies Developed for Preparation of MIP for Nitroaromatic Compounds 392
11.4 Electrochemistry of Nitroaromatic Compounds 398
11.5 MIP-Based Electrochemical Sensors 400
11.5.1 Polymerization Directly on the Electrode Surface 401
11.5.1.1 Sol-gel and poly TiO_2 systems 401
11.5.1.2 Electrodes modified with electropolymerized films *405*
11.5.2 Coupling of the MIP Particles with Electrochemical Transducers 407
11.5.3 MIP as a Solid Phase Sorbent for Separation and Preconcentration Before Electrochemical Determination 413

12. Trace Detection Based on Cyclodextrin Anchored Molecularly Imprinted TiO_2 Thin Films 421
Seung-Woo Lee
12.1 Introduction 421
12.2 Surface Sol-Gel Process and Molecular Imprinting 423

12.3 Two-Dimensional Imprinting with Juxtaposed CD Hosts on Metal Oxide Surface 426
12.3.1 BPA Sensing Based on Electrochemical Impedance Changes 427
12.3.2 SAM Effects on cSPI Response 429
12.3.3 cSPI Response to BPA on a BPA-Imprinted TiO_2/β-CD Film 431
12.3.4 Selectivity of the BPA-Imprinted TiO_2/β-CD Film 433
12.4 Trace Detection of Explosives Using a CD-Anchored Metal Oxide Matrix 435
12.4.1 Surface Modification for 2,4-DNT Recognition 436
12.4.2 cSPI Response and Sensitivity to 2,4-DNT 437
12.5 Imprinting Process Associated with a Gas Phase Sol-Gel Technique 439
12.5.1 Gas-Phase Surface Sol-Gel (GSSG) Process 439
12.5.2 Three-Dimensional Assembly of Templated CDs with TiO_2 Ultrathin Layers 440
12.5.3 BPA Response and Imprinting Effect 441
12.6 Future Prospects 444

13. Molecularly Imprinted Au Nanoparticle Composites and Their Application for Sensing, Controlled Release, and Photoelectrochemistry 453
Itamar Willner and Ran Tel-Vered
13.1 Introduction 453
13.2 Imprinting of Molecular Recognition Sites in Au NP Composites via Donor–Acceptor and/or Electrostatic Interactions 456
13.3 Imprinted Ligand-Functionalized bis-Aniline-Crosslinked Au NP Composites for Sensing 462
13.4 Electrochemically Triggered Imprinted Au NP "Sponges" 467
13.5 Controlling the Wettability of Surfaces by Imprinted Au NP Composites 471
13.6 Imprinted Semiconductor Nanoparticle/Metal Nanoparticle Composites for Enhanced Photoelectrochemistry 474

13.7 Conclusions and Perspectives 476

Part 4 Bio-Medical Applications of MIP Sensors 485

14. Protein-Sensing Using Organic/Inorganic Hybrid Materials Prepared by Liquid-Phase Deposition-Based Molecular Imprinting 487

Toshifumi Takeuchi

14.1 Introduction 487
14.2 Liquid-Phase Deposition 489
14.3 Cationic Polyions/Titanium Oxide Hybrid Materials for Acidic Protein Recognition 490
14.4 Anionic Polymer/TiO_2 Hybrid Materials for Basic Protein-Sensing 492
14.5 Protein Imprinting on Quantum Dots by LPD Method 493
14.6 Conclusion 494

15. Molecular Imprinted Polymer-Based Chemiluminescence Sensors 499

Zhujun Zhang

15.1 Introduction 499
15.2 Molecular Imprinted Polymer-Based Chemiluminescence Flow Sensors 503
15.3 Molecular Imprinted Polymer-BasedCL Imaging Sensors 512
15.4 Molecular Imprinted Polymer-Based Chemiluminescence Biosensor Chips 517
15.5 Molecular Imprinted Polymer Recognition and Online Electrogenerated Reagent Chemiluminescence Detection 519

16. Detection of Cells and Viruses Using Synthetic Antibodies 527

Adnan Mujahid, and Franz L. Dickert

16.1 Introduction 528
16.2 Molecular Imprinting for Biomolecules 530
16.3 Synthetic Antibodies for Cells Detection 532
16.3.1 Yeast Cells 533

16.3.2 Blood Cells Detection 537
16.3.3 Bacterial Detection Through Synthetic Materials 541
16.4 Imprinted Materials – A novel tool for Virus Sensing 547
16.4.1 Tobacco Mosaic Virus (TMV) Imprinting 548
16.4.2 Parapox Ovis Virus (ORF) Sensing 551
16.4.3 Bovine Leukemia Virus Imprinting 552
16.4.4 Molecular Imprinting for Picornaviruses 553
16.4.5 Dengue Virus Detection Through Epitope Imprinting Approach 555
16.4.6 Poliovirus Detection by Imprinted SAMs 557
16.4.7 Virus Sensing by MIP-Coated Microsensors 558
16.5 Concluding Remarks and Future Outlook 559

Part 5 MIP Market and Prospects 569

17. Molecularly Imprinted Polymers: Science Goes Market? A Market Analysis Based on the Patent Situation 571
Soeren Schumacher
17.1 Introduction 573
17.2 Methods 574
17.3 Results and Discussion 575
17.3.1 Patent Activity 575
17.3.2 Application Areas 580
17.3.3 Citation Analysis 580
17.3.4 S-Curve Consideration 586
17.3.5 Company Overview 587
17.3.6 Patent Portfolio of Companies 591
17.3.7 Competitive and SWOT Analysis 591
17.4 Conclusion 594

Index 599

Preface

Molecular imprinting is now established as an indispensable tool for separation and sensor technologies. The most popular scheme to realize the molecular imprinting concept is probably the cross-linking of linear polymers in the presence of template molecules. Three-dimensional cavities would be created in the polymer network after the removal of template molecules. Unfortunately, the conformational adaptability of linear polymers is limited, and template molecules and the surrounding polymer chains cannot produce best molecular fitting in most cases. Molecular fitting by commonly employed imprinting materials is less than satisfactory compared with polypeptide chains of protein molecules. Superior three-dimensional fit of active sites of enzyme molecules and their specific substrates are truly remarkable.

Some of the inorganic chains are much more flexible than organic chains. For example, rotational and bending motions of metal–oxygen bonds are more facile than those of carbon–carbon bonds. This fact implies that metal oxide gels provide better molecular fitting with template molecules. In fact, the first example of molecular imprinting was reported in 1931 for silica matrix, as mentioned in Chapter 1. The use of inorganic matrices became much expanded in recent years and now occupies a significant fraction of molecular imprinting studies.

This handbook reflects this situation and attempts to survey the recent advances of molecular imprinting in inorganic and organic matrices in a combined form. The functional aspect is more or less focused on sensor applications. Such applications have become increasingly important in relation to environmental and biomedical issues, as summarized as Parts 3 and 4, respectively. The discussion in Chapter 1 will help grasp the pros and cons of inorganic matrices relative to organic matrices, and Part 5 provides a patent-based market analysis of molecular imprinting technology.

We are grateful to Mr. Stanford Chong of Pan Stanford Publishing for his continuous encouragement during the preparation of this handbook. Many thanks also to our wives, who showed splendid perseverance towards the absent (minded) husbands.